


# Gestetner

*High speed, high volume, high performance communication systems*



F A C S I M I L E S Y S T E M S

F9199/F9199nf



*Gestetner F9199*  
A powerful, productive,  
high-volume fax system.



*Gestetner F9199nf*  
A network fax system that  
can send color documents  
over the internet.

## Meet Your New Business Partners...

THE GESTETNER F9199 AND F9199*nf* RAISE THE BAR WHEN IT COMES TO BUSINESS FAX PERFORMANCE. WITH HARDCOPY ON THE RISE – AND SHOWING NO SIGNS OF SLOWING DOWN – IT'S GOOD BUSINESS SENSE TO INCORPORATE A DOCUMENT MANAGEMENT STRATEGY THAT TAKES ALL THE DAILY COMPLEXITIES OF BUSINESS COMMUNICATION IN STRIDE.



*A 75-sheet Automatic Document Feeder is perfect for scanning and storing multi-page faxes.*

### **INTELLIGENT**

Blending sophisticated fax technology and advanced connectivity functions – including network printing, full color and black and white network scanning, Internet Fax and LAN-Fax – the F9199 and F9199*nf* meet the challenges of busy fax environments.

### *Large, Expandable Memory Capacity*

Thanks to the F9199/F9199*nf*'s versatile memory capabilities, uninterrupted operation – even during peak operating hours – is a given.

- 7 MB standard memory capacity (560 pages) – expandable up to a maximum of 3,000 pages – offers smooth, uninterrupted communication.

- Parallel (Quick) Memory Transmission provides instant confirmation of a successful connection with the receiving fax – before you've scanned that huge document into memory! The F9199/ F9199*nf* scan the first page, make the connection and continue scanning the remainder of the document while transmitting.

- Full Dual Access ensures uninterrupted operation by allowing users to store outgoing documents into memory while receiving an incoming fax or printing a document.


- Standard Memory stores documents for up to 12 hours during a power loss. And documents are retained indefinitely with the optional non-volatile 40 MB Memory.

# Easy To Use Control Panel

4-Line, 40-Characters Per Line LCD  
With backlighting for easy reading.


## 10 User Function Keys

Each key can be programmed with a frequently used feature.



## 144 Quick Dial Keys, 100 Speed Dials, 9 Group Dials

The Quick Dial Keys double as entry keys for programming e-mail addresses.



A QWERTY Style Keyboard makes it easy to enter all types of information – including Speed Dials and e-mail addresses.



Up to 144 Speed Dials can be easily accessed from the Flip Pad.

## Exceptional Paper Handling

With a variety of paper handling capabilities, the F9199/F9199*nf* never let you down no matter how large the job.

- Up to 2,600 sheets of paper ensure that long jobs run uninterrupted.
- Send and receive 11" x 17" documents size-for-size – perfect for engineering, manufacturing and graphic arts professionals.

## Automatic Two-Sided

### Fax Transmission

Stop wasting time – and money – creating single-sided originals. The F9199/F9199*nf* automatically scan, collate and transmit two-sided documents.

## Dual Line Communication

(F9199 Standard/F9199*nf* Optional)

Enjoy the productivity of simultaneous transmission and reception – without the expense of two separate fax systems!

Ideal for peak operating periods, you also save valuable office space by eliminating the need for two systems.

## Super G3 and JBIG Compression Technology

In as little as 2 seconds per page, the F9199/F9199*nf* transmit high-quality images to their destinations. JBIG Compression cuts transmission time and costs, making it the ideal method for sending graphics and halftones.

## ISDN Digital Fax Option

If 3 seconds per page stretches your patience, add the ISDN Digital Fax Option. With transmission speeds as fast as 1.5 seconds per page, 99% error free communications, consistent transmission speeds and digital security, you're assured of much lower phone bills and less time spent waiting at the fax.

## Fax On Demand Option

Provide easy access to key business documents for all employees, regardless of their location. Simply store information such as specification lists, price sheets, field bulletins, etc. in the F9199/F9199*nf*, and field/traveling employees can access and retrieve documents when it's most convenient for them.

## EASY-GOING

You can have the most sophisticated fax system in the world, but if you can't figure out how to use it, it's not going to do you any good! That's why the most important feature of the F9199/F9199*nf* is how easy it is to operate.

- An intuitive Control Panel enables quick access to all features.


- Programmable User Function Keys allow you to program – and recall at the touch of a button – those features you use the most.

- Status Indicator Lights let you “see” what's going on with your F9199/F9199*nf* from a distance – perfect for noisy work environments such as warehouses, manufacturing facilities, etc.

- Full front access combined with a wingless design ensures a perfect fit in small areas and easy access to all paper sources.


- An intelligently designed All-in-One Cartridge simplifies routine maintenance and eliminates the need to inventory and replace separate consumables (10,000 page yield at 4% coverage).

# Send Faxes Directly From Your PC



LAN Fxing maximizes workgroup efficiency and productivity.

# Automatically Archive Faxes



Incoming documents are printed and electronic back-up files can be automatically sent for archiving.

## CONNECTED

Simply add the optional Network Interface Card (standard on the F9199nf) and enjoy the advantages of being well-connected.

## Full Color Network Scanning

Make managing hard copy an effortless task with the F9199/F9199nf's comprehensive suite of network scanning and document management capabilities.

## Scan to E-mail

Scan important business documents (full color or black and white), input the recipients e-mail address, and enjoy the competitive advantage of real-time, e-document delivery! You can also send e-mail attachments in a variety of popular file formats: TIFF for B&W documents, JPEG for color doc-

uments or PDF, which ensures document integrity. If you need to proof color documents, have clients/employees with limited access to a fax system, or simply want to get that proposal in before your competitors do, then this is the solution you've been looking for.

## Scan to File

Since it's the rare document that's truly a "solo" effort, smart businesses should look for solutions that facilitate document sharing and collaboration. With the F9199/F9199nf, it's easy to scan documents to file and – using DeskTopBinder Document Management Software – manage them from the convenience of your desktop.


## LAN-Fax

There's no need to actually go to the fax to send – or pick-up – your documents. LAN-Faxing allows users to send faxes directly from the desktop. To eliminate unproductive travel time, just click "print" to send faxes. And, we've included all the software you need, so there's no excuse not to give it a test run!




The Gestetner F9199 and F9199nf can be configured with a paper supply of up to 2,600 sheets from five 500-sheet Paper Trays and a 100-sheet Bypass Tray.

# No Charge Internet Faxing




Send hard copy documents to any e-mail address or to another T.37 compliant Internet Fax without any long distance or international phone charges.

# IP Faxing Via The Internet



Communicate between a network of F9199nf or ITU-compatible devices without the use of an e-mail server. The sender simply enters the IP address of the receiving IP-Fax System (complies with ITU-T Rec. T.38). Communication is high speed, and a report confirms reception.



Quick, Speed and Group Dials can be programmed using the web browser (standard on the F9199nf).

## Internet Faxing

With Internet Faxing, you can enjoy all the advantages of fax communication without the high phone bills. Send fax documents in e-mail format to remote fax systems (with Internet Fax capabilities), to any G3 fax systems via gateways or gateway keepers (VoIP with T.38 Function) or to a specified e-mail address. You can even receive fax documents as e-mails and print them, or forward them to another e-mail address – you decide.

## Web Browser Management

Checking the status of your F9199/F9199nf couldn't be simpler – just open the Web Browser that's already on your workstation. Via the Web Status Monitor, you can check conditions such as: Memory Levels, Toner Levels, Memory Usage, File Conditions and more. Administrators have access to

– and can easily customize – a variety of usage settings, including Automatic Dialing Destinations, File Backup Operations and General Settings.

## 23 PPM Network Printing

The F9199 and F9199nf provide exceptional network printing performance – including support for today's most popular network platforms, up to 1200 dpi resolution, and your choice of LAN connectivity options: Ethernet NIC, Fire-Wire, Wireless LAN or USB. And, PCL 5e/6 and Adobe PostScript 3 ensure compatibility with a wide range of business software.

## FLEXIBLE

Having a hard time choosing? No problem! Just decide if you want a standalone fax system that you can upgrade down the road, or a fax that you can network right out of the box...

## Gestetner F9199

The perfect choice for busy, walk-up fax environments, the F9199 offers standard Dual Line capability and high-end fax performance. And, if your needs change, simply add the optional Network Interface Card and experience all the capabilities of the F9199nf.

## Gestetner F9199nf

If connectivity is your main priority, you need the F9199nf. It comes standard with one 500-sheet paper tray and one G3 phone line, plus a Network Interface Card that gives you instant access to LAN-Faxing, Internet Faxing, Network Scanning and Network Printing.

## RESPONSIBLE

Gestetner is committed to providing products that are easy on the environment and that contribute to healthy and safe work atmosphere for all. The F9199 and F9199nf are fully compliant with the Environmental Protection Agency's Energy Star® Program and operate completely ozone free.

## MAKE IT PERMANENT

Just contact your authorized Gestetner sales location for more information or a demonstration of the F9199 and F9199nf.

[www.gestetnerusa.com](http://www.gestetnerusa.com)

# F9199/F9199nf

## PLAIN PAPER FACSIMILES

### Specifications

Product Configuration	Desktop Laser Plain Paper
Modem Speed	33.6 Kbps with auto fallback
Transmission Speed	2 seconds (ITU-T No. 1 Chart)
Compression Method	MH/MR/MMR/JBIG
Scanning Speed	1.5 seconds (B/W) 4.5 seconds (Color - 100 x 100 dpi)
Standard Memory	7 MB (560 pages)
Optional Memory	Additional 40 MB (1,200 pages) 3,000 pages with Function Upgrade Card
Resolution	Standard: 200 x 100 lines/inch Detail: 200 x 200 lines/inch Fine: 200 x 400 lines/inch Extra Super Fine: 600 x 600 lines/inch (requires 40 MB card) Halftones: 64 Levels
Recording Paper Size	Letter/Legal/Ledger (Universal Cassette)
Max. Document Width	11.7"/11.6"/47.2"
Scan Width/Length	
Max. Recording Paper Size	11" x 17"
Max. Print Speed	23 pages per minute
Paper Capacity	Standard: 500 Sheets (F9199nf) 500 x 2 Sheets (F9199) Maximum: 2,600 Sheets (6 sources)
Automatic Document Feed	75 Sheets
Standard Auto Dial	144 Quick, 100 Speed (expandable to 1,000), 9 Groups (expandable to 30)
Dimensions (WxDxH)	19.9" x 24" x 18.9" (F9199nf)
excluding Trays & Projections	19.9" x 24" x 24.2" (F9199)
Weight	62.8 lbs. (F9199nf) 85.2 lbs. (F9199)
Power	115VAC, 60Hz
Other Standard Features	Dual Access, Energy Save Mode, Monitor Speaker, Auto/Manual Redial, Auto Image Density, Batch Transmission, Auto/Manual Reception, Blank Sheet Detection, Page Retransmission, Multiple Reception, Direct Fax Number Entry, Specified Cassette Selection, Closed Network, Checkered Mark, Auto Document, Memory Lock, Reception Time Printing, Send Later, Forwarding, Polling, Restricted Access, Telephone Directory, Verification Stamp, 12 Hour Memory Backup, 10 Function Keys, Second G3 Line (F9199 only)
Other Options	Paper Feed Unit - 500 Sheets, Bypass Feeder - 100 Sheets, ISDN Interface, Mechanical Counter, Handset, Fax On Demand, Second G3 Line (F9199nf only), Function Upgrade Card, 40 MB Memory Expansion Card

### Printer Option

CPU	QED RM5261A, 250 MHz
Speed	23 PPM
Resolution	Up to 1200 dpi
Interface	Standard IEEE 1284 Parallel, NIC 10/100 BaseT Ethernet Optional USB 2.0, IEEE 1394 Wireless IEEE 802.11b
Operating System	Windows 95/98/Me/NT 4.0/2000/XP
Printer Language	PCL6/5e, RPCS (standard), PS3 (option)
Memory	32 MB, Maximum 96 MB
Fonts	45 PCL Fonts (35 Intellifonts + 10 TrueType Fonts)

### NIC Fax Requirements (Standard F9199nf)

CPU	200 MHz or higher
Operating System	Windows 95/98/Me/2000/NT4.0/XP
Display	VGA 640/480, 256 Colors minimum
Network	LAN Connection, TCP/IP Protocols

### LAN Fax Specifications (Standard F9199nf)

Network/Connection	LAN (Local Area Network) 10/100BaseT Ethernet
Transmit Speed	33.6 Kbps
Max.Compression Method	JBIG
Print Resolution	400 x 400 dpi (600 x 600 dpi with optional 40 MB Memory Card)
Operating System Support	Windows 95/98/Me/2000/NT4.0/XP
Destinations	100 (Max.)
Other Features	Address Book, Specify Destinations using Quick Dials and Groups, Manual Fax Number Entry, Cover Sheet, Broadcast, Delayed Transmission, Transmission Result Notification

### Network Scanning Specifications (Standard F9199nf)

Network/Connection	LAN (Local Area Network) 10/100BaseT Ethernet
Network Protocol	TCP/IP
Capabilities	Fax Document Delivery, Scan to E-Mail, Filter Forwarded Documents, File Storage, Backup File Transmission
Scan Resolution	Standard (200 x 100 dpi); Detail (200 x 200 dpi); Super Fine (400 x 400 dpi); Extra Super Fine (600 x 600 dpi)
Document Size (Original Size: Scanning Width)	8.5" x 11", 8.5" x 14 or 11" x 17"

### ScanRouter V2 Lite Requirements (Standard F9199nf)

Server PC Operating System	Windows 95/98/Me/2000/NT/XP
CPU	Pentium 350 MHz or faster
RAM	64 MB minimum (128 MB recommended)
Hard Disk	10 GB HDD w/200 MB available for installation
Client PC	
CPU	Pentium II 266 MHz minimum recommended
RAM	48 MB or more (64 MB or more recommended)
Hard Disk	At least 50 MB of disk space is required for installation (Note: In addition, 200 MB or more is required to save documents)
Network Protocol	TCP/IP

### DeskTopBinder V2 Lite Requirements (Standard F9199nf)

Client PC Operating System	Windows 95/98/Me/2000/NT/XP
CPU	Pentium 450 MHz or faster
RAM	128 MB minimum (256 MB recommended)
Hard Disk	10 GB HDD w/200 MB available for installation
Network Protocol	TCP/IP
Client PC	
Computer	PC/AT compatible computer
CPU	Pentium II 266 MHz or faster recommended
Operating Systems	Windows 95/98/Me/2000/NT4.0
RAM	48 MB or more (64 MB or more recommended)
Hard Disk	50 MB or more (200 MB or more recommended)
Display	High Color (64,000 colors), 800 x 600 pixel or more

## Gestetner

Gestetner Stamford, Connecticut 06904  
Product specifications subject to change without notice.  
All other trademarks are the property of their  
respective owners.  
Printed in U.S.A. (G1729) 25M 9/02

